

Wallhub | KASTONE® Air Brick Veneers

KASTONE® Air is one of the best of its kind, rating as one of the lightest artificial brick veneers ever produced. It is thin, lightweight, flexible and durable. Each brick is crafted different from one another using high-technology & eco-friendly methods.



KASTONE® AIR

Lightweight, Flexible, Authentic Texture and Easy Installation.

SINGAPORE GREEN LABEL

What is the Singapore Green Label?

The **Singapore Green Labelling Scheme (SGLS)** is administered by Singapore Environmental Council (SEC) that certifies products from both industrial and consumer to be highly and environmentally and health friendly.



Our collection of **KASTONE® Air Bricks** has been awarded the Singapore Green Label, certifying our products to assure undesirable effects on the environment.

How to D.I.Y with **KASTONE® Air BRICKS**



Before we get hands-on,
let's lay out the right tools needed to get the job done.

[Part I] **Tools required**

A) Placement of Bricks

1. Gloves
2. Bricks
3. Maxbond Glue
4. Scissors
5. Spirit Level
6. Wall Scrub/Cloth
7. Spacers

B) Grouting Application

Should you choose to apply grouting (optional):

1. Grouting Material
2. Pail
3. Spatula tool
4. Piping Bag




[Part II]
Application of KASTONE® Air bricks onto the walls

Step 1:

Clean the wall surface with Scrub/Cloth to ensure it is free from dirt and dust.

Step 2:

Choose a layout (e.g. Herringbone or Classic Alignment)



Step 3:

Apply a generous strip of Maxbond Glue to the back (smoother end of the brick) of the KASTONE® Air brick.

Start to stick and press them firmly onto the wall.

Note: To ensure even distribution and alignment, use the PVC spacers (*optional*) in-between the bricks. The spacers can be purchased at any hardware store near you.



Step 4:

Start to prepare your Grouting.

Note: Grouting should only be prepared after all bricks have been applied onto the wall.

How to apply grouting:

Step A - Prepare 500ml to 750ml of water

Step B - Pour 3.5kg of Grouting Material with water into Pail

Step C - Mix Grouting material and water using Spatula tool or by hand

Step D - Fill the piping bag with the mixed grouting

Once your bricks have dried onto the walls, it's time to apply your grouting.



Step 5:


Pour the grouting solution into your piping bag and make sure to get a *good grip* on it! Apply an even amount of pressure for a smooth and neat application of the grouting.




There are 4 Grouting Methods to choose from:

1. Standard Grouting
2. Full Grouting
3. Over Grouting
4. Weep Grouting


Standard Grouting Technique




Full Grouting Technique



Over Grouting Technique



Weep Grouting Technique



You might want to start slow and build your momentum up! If the grouting gets onto the surface of your bricks, you can always wipe it off with a cloth.

Step 6 (Final):

All you have left to do is to clean up!

KASTONE® Air Bricks do not hold any invasive chemicals or adhesives so the clean up should be fast and easy just like this D.I.Y project.



We wish you all the best in creating a wall that's unique to you,
and ***you*** have played a part in assembling.

For any assistance, contact us at:

www.wallhub.com.sg
sales@wallhub.com.sg
+65 91830634 | 94897623

Locations:

(1) East Showroom - #01-38, Oxley Bizhub 2, 62 Ubi Rd 1, S408734
Opens Daily, 11am to 7pm
Office Tel: +65 64937217

(2) North Showroom - #01-10, Nordcom II, 2 Gambas Cres, S757044
Opens Mon to Sat, 11am to 7pm
Office Tel: +65 69097244